



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XXXV. *An Account of an Observation of the Meteor of August 18, 1783, made on Hewit Common near York. In a Letter from Nathaniel Pigott, Esq. F. R. S. to the Reverend Nevil Maskelyne, D. D. F. R. S. and Astronomer Royal.*

Read June 24, 1784.

REVEREND SIR,

York, Oct. 18, 1783.

ON the 19th of last August I communicated to you an account of the remarkably fine meteor, which I had seen under circumstances peculiarly favourable the preceding night. I was then preparing myself for a journey into the East Riding; and, on that account, obliged to postpone the verifications, mentioned hereafter, till my return.

On the 18th of August, about ten o'clock P.M. after a hot day, the weather a little hazy, but not so as to obliterate the stars, and no wind, being on horseback, in company with two other gentlemen, on Hewit Common, about three miles from York, my attention was attracted towards the W.N.W. by several faint flashes of lightning, such as are often seen near the horizon, or which may be still better compared to flashes of an aurora borealis. Soon after which I perceived some luminous matter in motion, and collecting together from several directions, fig. 1. (tab. XX.) which immediately taking fire presented itself under the form of a ball, of so vivid a brightness, that the whole horizon was illuminated, so that the smallest object might

have been seen on the ground. This ball, when formed, began to move, with an easy sliding motion, from W.N.W. towards the S.S.E. It suggested the idea of a highly brilliant comet, emitting a train or tail, but of a different colour from the ball itself, this last being of a most brilliant bluish white, and the tail of a dusky red, the length of which appeared to extend over fifteen or more degrees of the heavens, fig. 2. The apparent diameter of the nucleus seemed one-third or one-fourth of the full moon's diameter. The greatest difficulty in this estimation hence arises, that I cannot, notwithstanding all my endeavours, represent in my mind the moon otherwise than as a plane or disk; nor the meteor, than as a spherical body. The altitude of it, when it formed in the W.N.W. was about 30° ; and about 19° or 20° above the horizon, when it became extinct in the S.S.E. a few sparks of the tail, nearest the nucleus, scattering themselves much in the same manner as those of a sky-rocket when burnt out, fig. 3.

It has been said, that the ball divided itself into three or four parts before its extinction. To me it appeared to vanish or gently die away: what confirms me in the opinion, that it did not divide, is, that the three or four scattering parts above-mentioned were not of the bright colour of the ball itself, but of the dusky red which the tail invariably shewed. The interval of time from the meteor's formation to its extinction was nearly twenty seconds, perhaps two or three seconds less. The long habit I have of counting seconds in astronomical observations induces me to think this quantity may be relied on; and this I mention, because some have estimated it more, some less. Nine or ten minutes after its dissipation, I heard a noise, much resembling the report of a cannon at a very great distance; but I would not wish to have it understood, that I
speak

ſpeak to this laſt interval with the ſame certainty as to the other; if, however, it be exact, and ſuppoſing found to move 1106 feet in one ſecond of time, and the ſame in the upper regions of the atmosphere as here below, which, however, may be very different, its diſtance from me, at its extinction, muſt have been about 120 miles, and its perpendicular altitude above the earth's ſurface about 40 miles.

I have added a ſcheme and a ſmall ſketch, preſuming by that means to convey a clearer idea of what I ſaw. The altitudes, azimuths, &c. are not merely from eſtimation. After my return from the Eaſt Riding, I went to the very ſpot, where I had ſeen the meteor on the 18th of Auguſt. The road, as in the ſcheme, being exactly ſtraight from my ſtation, both *towards* and *from* York, no miſtake can ariſe in that reſpect. With all the circumſtances clearly and forcibly impreſſed on my mind, I watched till ſome remarkable ſpot in the ſky preſented itſelf at the ſame place in which I had ſeen the meteor itſelf form, croſs the road, vaniſh, &c.: then, with a theodolite, I took the ſeveral bearings, which may be the more relied on, as I repeated the operations three different times, on different ſpots, which agree ſurpriſingly well for meaſures where no minute exactneſs can be expected. I have marked minutes in the ſcheme, becauſe the reſults gave them, without any pretenſion to ſuch nicety.

I am, &c.

NATH. PIGOTT.

